

# H3C Transceiver Single-Fiber Optic Module



## Overview

H3C QSFP-100G-ER4-SM1310 compatible optical transceiver module is designed with duplex LC connectors, reaching a link up to 40km with FEC; 30km without FEC over single-mode fiber (OS2). Transceivers are mainly used for optical-to-electrical and electrical-to-optical conversions and provide the following functions: optical power control, modulation transmission, signal probe, IV conversion, and limiting amplifier and decision regeneration. In addition, transceivers provide some. This H3C SFP-GE-SX-MM850-A optics is a high performance and cost-effective small form factor pluggable transceiver. It is suitable for 1000BASE-SX Gigabit Ethernet and 1G Fibre Channel application. The product supports up to 550m link lengths over. All contents in this document, including statements, information, and recommendations, are believed to be accurate, but they are presented without warranty of any kind, express or implied. H3C shall not be liable for technical or editorial errors or environmental protection. Original compatible & refurbished H3C transceivers. SFP+ QSFP QSFP28 DAC AOC - H3C 10GB-SR 10GB-LR 25GB 100GB QSFP56-H3C Optical Transceivers.

## Article Content

H3C Transceiver Modules User Guide

Transmission distances provided by optical transceiver modules are mainly limited by certain loss and dispersion suffered during the transmission of optical signals over optical fibers.

25G/40G/50G/100G Optical Transceiver Modules | FiberMall

FiberMall offers 25G SFP28/40G QSFP+/100G QSFP28 Transceiver Modules designed with form factor, optical/electrical connection, and digital diagnostic interface.

Transceiver Optical Module Cisco 10G SFP+ 1560.61nm DWDM

AOFPlus's various brands-compatible DWDM 10G SFP+ optical transceiver module, C17-C61 wavelength, designed for long-distance fiber optic communication. Operating within a precise

Sfp-xg-lx-sm1310-e-c Datasheet

This H3C® SFP-XG-LX-SM1310-E compatible SFP+ transceiver provides 10GBase-LR throughput up to 10km over single-mode fiber (SMF) using a wavelength of 1310nm via an LC connector. It is

Semiconductor & System Solutions | Infineon Technologies

Infineon Semiconductor & System Solutions - MCUs, sensors, automotive & power management ICs, memories, USB, Bluetooth, WiFi, LED drivers, radiation h

LC Fiber Optics: Complete Guide 2026 to Patch

Explore LC fiber optics in depth: LC connectors, LC patch cables, uniboot designs, attenuators, breakout cables, LC adapters, patch panels, MPO

H3C JD098B compatible SFP 1G Singlemode BiDi 10km

This SFP transceiver module sends and receives its data on two different wavelengths over one single fiber core. The sending wavelength is 1310nm, the receiving wavelength is 1490nm.

H3C SFP-XG-LX-SM1330-BIDI Optical Module Sample Test Report

H3C offers the SFP-XG-LX-SM1330-BIDI optical module, which supports 10G Ethernet transmission up to 10 km over single-mode fiber. Modulatek Laboratory has tested samples of this product to help

Transceiver Optical Module Cisco 10G SFP+ 1561.42nm DWDM

Fiber Optical Transceiver|Optical Module Cisco Compatible DWDM 10G SFP+ C20 1561.42nm 80km Duplex LC/UPC Single Mode Specifications Various brands-compatible available (Cisco, ARISTA,

## SFP Module Guide: SFP vs SFP+ vs SFP28 vs QSFP and How to

Learn what an SFP module is, how SFP, SFP+, SFP28, and QSFP differ, and how to choose the right module for speed, distance, fiber type, and compatibility.

### Genuine H3C Transceiver Modules

The H3C QSFP-40G-LR4-PSM1310 QSFP+ Optical Transceiver Module is designed for use in 40GBASE Ethernet throughput up to 10km over single mode fiber (SMF) using a wavelength of

#### H3C SFP-XG-LX-SM1310-S 10GBase-LR SFP+ transceivermodul

H3C SFP-XG-LX-SM1310-S 10GBase-LR SFP+ transceivermodulet er en pålidelig og højtydende løsning til dine netværksbehov. Denne transceiver er designet til at understøtte op til 10 km

#### H3C 16G Fibre Channel SFP+ Transceiver Module

The H3C compatible Module provides 16GBase-LR throughput up to 10km over single-mode fibre (SMF) using a wavelength of 1310nm via an LC duplex

#### 10km/40km/60km 10G SFP+ Transceiver Bidi SMF DDM 1Paar,sfp Modul

Eigenschaften SFP-Modul Geeignet für Switches, Router, Netzwerk-Firewalls, Netzwerkkarten, Glasfasertransceiver und andere Geräte mit SFP+-Optik-Ports 10Gb/s, 10G SFP+ Transceiver Bidi

#### H3C SFP-FE-BX15-U-SM1310 155Mbps 1310nm SMF 15km Duplex LC SFP Module

Ang H3C SFP-FE-BX15-U-SM1310 ay isang high-performance na SFP module na idinisenyo para sa tuluy-tuloy na pagpapadala ng data sa malalayong distansya. Dahil sa data rate na hanggang

#### H3C SFP-FC-8G-LW-SM1310 SFP+ 2/4/8GBASE-LW Singlemode

The SFP-FC-8G-LW-SM1310 2/4/8GBASE-LW LC Duplex SFP+ compatible with H3C has a receiving function (receiver with 1310nm) and a transmitting function (transmitter with 1310nm) for the

#### Zhen Tian Gnt-G2903/G2913/2915/2916Ab Single-Mode Single-Fiber Optical ...

G2913B Gigabit Ethernet Transceiver Module (Single) Quantity - + Logistics Official Logistics Delivering to 10 Global Regions Multiple shipping methods available on order page Payment Method

#### Cisco-Compatible 1.25G SFP CWDM Optical Transceiver (1610nm)

Transceiver Optical Module Cisco 1.25G SFP 1610nm CWDM ensures enterprise-grade performance. 40km transmission, 1610nm wavelength for networking..

### H3C Optical Modules

Original compatible & refurbished H3C transceivers. SFP+ QSFP QSFP28 DAC AOC - H3C 10GB-SR 10GB-LR 25GB 100GB QSFP56-H3C Optical Transceivers.

H3C SFP-GE-LX10-SM1310 GE Single Mode SFP Optical Transceiver

Ang H3C SFP-GE-LX10-SM1310 SFP transceiver ay sumusuporta sa hanggang 10km na haba ng link sa pamamagitan ng LC duplex SMF fiber. Dahil sa mababang konsumo ng kuryente, ang hot

## Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://saastisfy.fr>

Email: [sales@saastisfy.fr](mailto:sales@saastisfy.fr)

Phone: +33 6 52 81 47 39

Address: 75 Rue de Rivoli, 75001 Paris, France

This document is for informational purposes only. Specifications subject to change without notice.

