

# L3 optical module



## Overview

It is available in a module that measures 1.5" (W) x 1" (H) and is ideal for optical modulation in the ultraviolet (UV) & visible systems requiring the ultimate in beam-pointing stability & predeflection, modulation, pointing adjustment and micromachining in UV laser. It is available in a module that measures 1. The benefits of lower weight, easier installation and better EMC/EMI performance are encouraging many. The Relevance Inspector will open in the Coveo Administration Console. Our products simplify designs by integrating transceivers, transimpedance. The H-401 from L3Harris Technologies is a Fused Silica Acousto-Optic Modulator (AOM) that operates at a wavelength of 257 nm - 532 nm. It has a nominal centre frequency of 100 MHz and deflection bandwidth of 85 MHz - 115 MHz. This acousto-optic modulator has a minimum diffraction efficiency of 88 %. This switch features a modular power supply design for a high availability architecture. Virtual switch stacking allows the switch to be managed from a single IP address and provide redundancy for. L3Harris is leveraging more than 40 years' experience in developing acousto-optic (AO) devices and technologies to design illumination modules that control the quantum states of trapped ions with extreme precision.

## Article Content

L3-10XGF12: Layer 3 12-port 10G Managed Full Fiber

The 10 Gigabit Ethernet connectivity of L3-10XGF12 is accomplished via a hot-pluggable 10 Gigabit SFP+ transceiver which supports distance up to 300 meters

Introducing Module 8's Tuner Variable Look Lens

Look no further than the Tuner Variable Look Lens Attachments from Module 8. The tuners come in three subsets to achieve a vintage cinema feel with your cinema

24 x 10G SFP + 4 x 100G QSFP28 Optical L3 Manage

Virtual switch stacking allows the switch to be managed from a single IP address and provide redundancy for connected devices. The DXS-F3400-28SC having

Module 8 Tuner

The L3 Tuner is Module 8's co-founder Iain A. Neil signature look and is the culmination of decades of experience designing some of the most iconic cinematic lenses, especially anamorphic. L3 gives you

Troubleshooting core routing equipment quote: Optical Interfaces ...

Overview When procuring or maintaining core routing equipment, network architects need precise technical specifications and troubleshooting guidance—not just a price quote. ...

The Evolution of Optical Modules: 400G → 800G → 1.6T - A Strategic ...

Discover the evolution from 400G to 800G and 1.6T optical modules. Learn key technologies, CPO vs pluggable, and upgrade strategies for future-ready data centers.

L3Harris NGAL (Next Generation Aiming Laser) | Own

NGL-000-A1, L3Harris NGAL (Next Generation Aiming Laser) Important Notice: This product is exclusively available for purchase by Active Military or Law

Optical Links | L3Harris® Fast. Forward.

The Four Channel Optical Link is a wideband microwave optical link with a 40GHz bandwidth, suitable for antenna remoting and other applications. It caters for up

12 Port 10Gbps SFP+ Managed Switch, Support 1G

12 x 10G SFP+: 12 x 10Gbps SFP+ ports, enable high-bandwidth connected, auto-adaptive 1G/2.5G/10G optical fiber module, wider rate range. 1\* RJ45 console

L3 Harris will continue to support MK 20 electro-optical

L3Harris Technologies was awarded contract for the procurement of MK 20 electro-optical sensor systems (EOSS), radar cross-section kits,

Understanding Optical Modules: Working Principles,

Explore the working principles, structures, and performance metrics of optical modules, essential components of optical fiber communication

Explore L3Harris Night Vision Systems | Tactical Gear | Own The Night

Discover our premier L3Harris night vision goggles and accessories enhancing operational effectiveness in low-light.

Multi-Channel Acousto-Optic Modulator (AOM) Illumination Module

Precision control of optical beams for quantum state manipulation L3Harris is building upon more than 40 years" experience in developing AOM devices and technologies to design illumination modules

MokerLink 12 Port 10Gbps SFP+ Managed Switch,

About this item 12 x 10G SFP+: 12 x 10Gbps SFP+ ports, enable high-bandwidth connected, auto-adaptive 1G/10G optical fiber module, wider rate range. 1\* RJ45

Acousto-optic Solutions | L3Harris® Fast. Forward.

Acousto-optic Solutions L3Harris has been designing, developing, and manufacturing acousto-optics since 1972. An industry leader in the field, we offer

10G Multi Fiber Switches 19" L2/L3

The MS400863M is an L2+ multi-fiber switch with a total of 28 fiber optic ports, of which up to 4 ports are designed as 10G uplink ports and a further 4 ports as so

Next Generation Aiming Laser (NGAL) | L3Harris® Fast.

The L3Harris Next Generation Aiming Laser is a rugged, ultra-compact and lightweight system designed to be compatible with all generations of night vision

Acousto-optical Illumination Modules | L3Harris® Fast.

L3Harris" acousto-optic illumination modules offer precision control of optical beams for quantum state manipulation.

Optical module design resources | TI

Design requirements Modern optical module designs often require: Reduced power consumption to control and limit module temperature rise. Dynamic and precise control of laser diodes to regulate

L3Harris Spare Parts Archives

L3Harris Spare Parts Home / Shop / L3Harris Spare Parts L3Harris Battery Power Supply/Cable (AN/PVS-31 BNVD, GPNVG, FGS/FGE) \$ 405.01 - \$ 1,375.41 Select options L3Harris SPARES

Acousto-optical Illumination Modules | L3Harris® Fast.

Acousto-optical Illumination Modules Acousto-optical Illumination Modules L3Harris is leveraging more than 40 years' experience in developing acousto-optic (AO)

Optical networking ICs | TI

Build high-performance and power-efficient optical modules for wireless, data center and communication applications with our optical networking ICs. Our products simplify designs by integrating

MokerLink Store

MokerLink 8 Port 10G SFP+ Managed Fiber Switch, 1G/10G SFP Slot, L3 Web/CLI Managed, 160Gbps Bandwidth Desktop|Rackmount

Integrated Tactical Communication Systems

The trusted provider to US and allied military forces to deliver battle management and integrated tactical communications systems that provide the clarity and

24-Port Gigabit Ethernet L3 Stackable Fiber Switch with

24-Port Gigabit L3 Aggregation Ethernet Managed Fiber Optic Switch, 24x GE SFP Ports, 8x GE RJ45 with 6x 10GE SFP+ Uplinks, Support Stacking The S5300

Optronic Imaging, Surface Ship and Submarine Imaging

L3Harris is the world's largest provider of submarine imaging systems, delivering precise, high-resolution optics and integrated sensor packages. From the first

## Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://saastisfy.fr>

Email: [sales@saastisfy.fr](mailto:sales@saastisfy.fr)

Phone: +33 6 52 81 47 39

Address: 75 Rue de Rivoli, 75001 Paris, France

This document is for informational purposes only. Specifications subject to change without notice.

